

CASEWORK GENERAL NOTES:

Revised 12-19-2013

1.	FULL HEIGHT STORAGE CABINETS (UNO) - SHALL BE 2'-0" DEEP. - 2'-0" MAXIMUM DOOR WIDTH - WARDROBE CABINETS TO BE 2'-0" DEEP. - PROVIDE (5) ADJ PL	11.	COUNTERTOP SUPPORT BRACKETS ARE PROVIDED BY THE CASEWORK SUPPLIER. PROVIDE WALL BLOCKING AT EACH SUPPORT.
2.	BASE AND WALL - WALL C - BASE - (1) - (2). - (3) AL	12.	COORDINATE LOCATION OF ALL UNDERCOUNTER SUPPORT WITH OWNER FURNISHED/OWNER INSTALLED EQUIPMENT.
3.	SEE INTER WHERE FILL BOTH ENDS O	13.	NO EXPOSED FASTENERS ON CASEWORK (UNO).
4.	PROVIDE LOCKS C INDICATED.	14.	ALL EXPOSED METAL CLIP ANGLES AND BRACKETS TO BE PAINTED TO MATCH CASEWORK.
5.	PROVIDE CONTINUOUS AT TOP OF	15.	ALL EXPOSED AND SEMI-EXPOSED SURFACES OF CASEWORK, SHELVING, BASE, FULL HEIGHT AND UPPER WALL CABINETS, AND FINISHED END PANELS ARE PLAM (UNO).
6.	BACKSPLASH/SIDESPLASHES.	16.	FIELD VERIFY SPACE AVAILABLE AT CABINET LOCATIONS PRIOR TO CASEWORK FABRICATION.
7.	PROVIDE 1" THICK SHELVES WHERE CABINETS ARE OVER 3'-0" WIDE. PROVIDE GROMMETS AT WORKSTATIONS, INCLUDING NURSE STATIONS, RECEPTION DESKS AND OTHER WORK COUNTERS. CUT IN FIELD-PROVIDE ONE PER ELECTRICAL DEVICE BELOW COUNTER-COORDINATE LOCATIONS	17.	RETURN BACKSPLASH AT SIDEWALLS (UNO).
8.	WITH OWNER. COLOR TO BE SELECTED BY ARCHITECT. SEE SPECIFICATION FOR GROMMET TYPES AND SIZES.	18.	TUCK WALL COVERING BEHIND ALL BACKSPLASHES.
9.	PROVIDE A 2" RADIUSED EDGE (IN PLAN) AT ALL OUTSIDE, EXPOSED COUNTERTOP CORNERS (UNO). ALL PLAM COUNTERTOPS SHALL HAVE A 1 1/4" THICK PLAM SQUARE EDGE NOSING (UNO).	19.	ALL CABINETS TO RECEIVE BASE SCHEDULED FOR ROOM (UNO).
10.	ALL COUNTERTOPS ARE 2'-1" DEEP (UNO). PROVIDE PLYWOOD BACKUP AT ALL SSM COUNTERTOPS.	20.	COORDINATE ALL SWITCHES, UNDER-CABINET LIGHT FIXTURES AND UNDERCOUNTER RECEPTACLES WITH THE ELECTRICAL CONTRACTOR.
		21.	PROVIDE HANGING FILE EDGE/HARDWARE WHERE FILE DRAWERS ARE INDICATED.
		22.	PROVIDE A 1/4" GAP BETWEEN BOTTOM EDGE OF COUNTERTOP AND TOP EDGE OF DOOR FRONTS/DOORS OF CABINETS.
		23.	REFER TO FINISH PLAN GENERAL NOTES FOR CASEWORK FINISHES (UNO).
		24.	BASE AS SCHEDULED (UNO).
		25.	PLAM COUNTERTOPS TO RECEIVE 3mm FLAT PVC EDGE (UNO).